



*Panfix*™

SELF ADHESIVE CELLULOSE TAPE



NICHIBAN

Company Name	Nichiban Co., Ltd.
Headquarter	2-3-3, Sekiguchi, Bunkyo-ku, Tokyo, 112-8663, Japan
Founded	January, 1918
Incorporated	December, 1934
Capital	5,451 million Yen
Sales	44.9 billion Yen (consolidated: 46.2 billion Yen) as of March 31, 2018
Employees	753 as of March 31, 2018

Company Name	Nichiban (Thailand) Co., Ltd.
Headquarter	18th Floor, Unit no.1801, United Center Building, 323 Silom Road, Silom, Bangrak, Bangkok, 10500, Thailand
Founded	July, 2017
Capital	10 million Baht

Company Name	Union Thai-Nichiban Co., Ltd.
Headquarter	12 Soi Serithai 62 Minburi, Bangkok, 10510, Thailand
Founded	June, 1973
Capital	15 million Baht

**Nichiban Co., Ltd. is a 100-year-old manufacturer  
founded in 1918. With its unique adhesive technology at its core,  
Nichiban makes all kinds of products including stationery,  
office supplies and medical supplies.**

**The thin strong transparent tape has been filled with  
the knowledge, which Nichiban has developed over the years.  
Our tapes have helped people at home, in the office,  
and in the class-room. We've always been by your side.**



**Years**  
**of connecting lives**

# 4500 times around the Earth

We've sold 180 million kilometers  
worth of tapes\* since we started.  
That's long enough to go around  
the Earth 4500 times.  
We'll continue to improve our tapes  
so that we could continue this journey.

\* As of 2015





# About Panfix™

Panfix™ tapes are adhesive tapes produced by Union Thai-Nichiban Co., Ltd., which was established in 1973 as a joint venture between Saha Union Public Company Limited and Nichiban Co., Ltd. (Japan).

Panfix™'s "Pan" means "all", "fix" means "to attach something firmly to something else", which reflects our hope that more people in the world use our high quality tapes of Panfix™ brand.






# The Panfix™ Quality

## Strong

**Holding on tight.**

Strong adhesive strength means it can stick to anything and won't come off.



### 4-layer structure

1. Release agent

2. Cellophane

3. Primer

4. Adhesive

## Smooth

### No more sticky situations.

Our tapes are strong but easy to cut unlike OPP tapes. They don't break or tear at the wrong places. But you can still cut them with your hands. Also low level of static electricity reduces attraction to paper.

## Soft


**A Peace of Mind.**

We make our tapes for everyone: you, your family, and the Earth. Because Nichiban tapes are made with natural, renewable ingredients like wood pulp, they are both eco-friendly and child-friendly.

Cellophane made from wood pulp

Core made from recycled paper

Adhesive made from natural rubber / resin



# Lineup


## CELLULOSE TAPE No.423

Base material	Cellophane
Thickness	0.05mm
Adhesion	2.9N/10mm
Tensile strength	32.7N/10mm
Elongation	18%


\*other size and industrial pack are available upon request.




Core **1in.** Length **10yds. (9.1m)**



Core **1in.** Length **36yds. (33m)**



### TAPE DISPENSER WITH 1in. 12mm × 9.1m




Color Variation


### CAN



Core **3in.** Length **36yds. (33m)**



Core **3in.** Length **72yds. (66m)**



# Other Tapes



## OPP PACKING TAPE (No.625)

Base material	Polypropylene
Thickness	0.045mm
Adhesion	1.8N/10mm
Tensile strength	31.4N/10mm
Elongation	80%
Width	Length
24mm	45m
48mm	45m
48mm	66m
72mm	66m



## OPP PACKING TAPE (No.630)

Base material	Polypropylene
Thickness	0.051mm
Adhesion	1.8N/10mm
Tensile strength	31.4N/10mm
Elongation	80%
Width	Length
18mm	75m
36mm	75m
48mm	75m
72mm	75m



## OPP PACKING TAPE (No.640)

Base material	Polypropylene
Thickness	0.065mm
Adhesion	1.8N/10mm
Tensile strength	39.2N/10mm
Elongation	100%
Width	Length
9mm	50m
50mm	50m



## KRAFT PAPER TAPE (NO.317)

Base material	Kraft paper
Thickness	0.145mm
Adhesion	3.9N/10mm
Tensile strength	58.8N/10mm
Elongation	10%
Width	Length
24mm	16m
48mm	16m
60mm	16m
72mm	16m
38mm	50m
50mm	50m
75mm	50m




## LITHOGRAPHIC TAPE (NO.480)

Base material	Cellophane Film
Thickness	0.057mm
Adhesion	2.9N/10mm
Tensile strength	44.9N/10mm
Elongation	18%
Width	Length
12mm	66m
19mm	66m
25mm	66m



## CREPE TAPE (NO.3355)

Base material	Crepe paper
Thickness	0.155mm
Adhesion	2.4N/10mm
Tensile strength	23.5N/10mm
Elongation	10%
Width	Length
12mm	18m
24mm	18m
48mm	18m



## OPP PACKING TAPE WITH CUTTER (No.625PFD)

Width	Length
50mm	50m

\*No.625 tape is included.